

Material Safety Data Sheet

1. Chemical Product and Company Information



Product Name: emzone 12A A/C System Conditioner

Product Item Numbers: # 45855 – 4 oz / 114 g

Product Manufacturer: Empack Spraytech Inc.
Address: 98 Walker Drive
Brampton, Ontario, Canada L6T 4H6

Telephone: (905) 792 – 6571

Emergency Telephone: Empack: (905) 792-6571 (8:00 am – 4:00 pm ET)
CANUTEC: (613) 996-6666 collect (24 Hours)

WHMIS Classification: A, B5, D2B
TDG Classification: AEROSOLS, Class 2.1(6.1), UN1950
Under the Clear Language Regulations: *refer to Section 1.17 for limited Quantity Shipping Information, if shipping under this exemption.*

Product Use: A/C System conditioner repairs and conditions rubber parts including O-ring and gasket joints.

Prepared By: Empack Regulatory Department
Preparation Date: January 2007
Last revision: March 2011

2. Composition / Information on Ingredients

| Hazardous Ingredients | CAS Number | Weight % | TLV (ppm) |
|----------------------------|-------------------|----------|-----------|
| Alkanes | 75-28-5 , 74-98-6 | 60-100 | 800 |
| Conditioner | Trade secret | 10-30 | 50 |
| High temperature lubricant | Trade secret | 1-5 | N/Av. |

3. Hazards Identification

Emergency overview: Suspected to have cacogenic and reproductive effect when directly exposed to humans.

4. First Aid Measures

Eye Contact: In case of eye contact, immediately flush eyes with running water for a minimum of 15 minutes. Hold eyelids open during flushing. If irritation persists, repeat flushing. Obtain medical attention IMMEDIATELY.

Skin Contact: For skin, wash thoroughly with soap and water. If irritation develops, get medical attention.

Inhalation: If affected by inhalation of vapour or spray mist, move to fresh air. Seek medical attention if necessary.

Ingestion: If swallowed, do not induce vomiting. Rinse mouth thoroughly with water. Drink 1-2 glasses (240 ml to 300 ml) of water to dilute the material. Obtain medical attention IMMEDIATELY.

5. Fire Fighting Measures

Flash Point: 22 - 70 °C (72- 158 °F Closed Cup).

Autoignition Temperature: 891 °C

Flammability Limits in Air (%): LFL = 1.95 ; UFL = 9.1

Hazardous Combustion Products: Carbon dioxide, silicon dioxide, and Formaldehyde.

Extinguishing media: Use Carbon dioxide, dry chemical, foam or water spray.

6. Accidental Release Measure

Spill and Leak: Wash area with significant quantity of water. Refer to section 8 of MSDS for personal protection information.

7. Handling And Storage

Keep away from heat, sparks, and open flames. Store in a cool, dry and well-ventilated place.

8. Exposure Controls/Personal Protection

Engineering Controls: Local exhaust ventilation required to maintain the point of use below the Threshold Limit Value if unprotected personnel are involved. Ground all equipment and cylinders before use.

Respiratory Protection: Not required on a short-term basis or if exhaust ventilation is provided.

Eye Protection: Use chemical safety glasses.

Skin Protection: Use gloves & protective clothing.

9. Physical And Chemical Properties

| | |
|--------------------------------------|-----------------|
| Physical State: | Liquid |
| Appearance: | Colourless |
| Odour: | Amine odour |
| Odour Threshold: | Not Available |
| Boiling Point liq.: | 125°C |
| Internal Pressure @ 21°C: | 70 psi |
| Vapor Density: | Not determined. |
| % Weight Volatile: | 95-100 |
| Specific Gravity (Water = 1): | 0.70 |
| pH: | N/Av. |
| Solubility in Water: | Not soluble |

10. Stability And Reactivity

Chemical Stability: Stable at normal temperature & pressures.

Incompatible Materials: Strong oxidising agents and strong acids.

Hazardous Products of Decomposition: Thermal decomposition & burning may produce carbon monoxide and carbon dioxide.

Hazardous Polymerization: N/Av.

10. Toxicological Information

Complete information is not yet available.

Carcinogenicity: Suspected to have Carcinogenic effect.

Reproductivity: Suspected to have reproductive effect.

Teratogenicity: N/Av.

Mutagenicity: N/Av.

11. Ecological Information

Complete information is not yet available.

12. Disposal Considerations

Dispose of in accordance with local, provincial, state and federal regulations.

13. Transport Information

Ground: Consumer Commodity, ORM-D.

Air: Cannot be shipped by air.

Sea: Limited quantity, AEROSOLS, UN# 1950, Class 2.1.

14. Regulatory Information**CANADA**

CEPA - NSNR: All constituents of this product are included on the DSL.

CEPA - NPRI: Not included.

WHMIS Classification: A: Compressed Gas, B-1: Flammable Gas.

USA

Environmental Protection Act: Constituents of this product are included on the TSCA inventory.

OSHA (29CFR 1910.1200) Classification: Compressed Gas, Flammable Gas.

HMIS: 1 Health, 4 Fire, 1 Reactivity.

Safety phrases: S 23.5 Do not breathe vapour/spray. S 16 Keep away from sources of ignition - No smoking.

Risk phrases: R12: Extremely flammable. R 36/37 Irritating to eyes and respiratory system.

15. Other Information**Abbreviations:**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstract Service

PEL Permissible Exposure Limit

TLV Threshold Limit Value

WHMIS Workplace Hazardous Materials Information System

Disclaimer:

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR. **This MSDS is valid for three years.**

The information contained herein is based on data considered accurate. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Empack assumes no responsibility for personal injury or property damage to vendees or users or third parties, caused by the material. Such vendees or users assume all risks with the use of the material.